


**alushade.**  
SOLARPORT SYSTEM



**ALUSHADE™ SOLARPORT SYSTEM**

[alspec.com.au](https://alspec.com.au)

**alspec**  
**Solar**

**alspec®**  
EVERYTHING ALUMINIUM  
& HARDWARE





The AluShade™ SolarPort is a cutting-edge solution designed to meet the growing demand for solar energy while offering practical shelter for vehicles. As Australia's only fully patented and engineer-certified aluminium carport system, it stands out for its innovation and structural integrity. The AluShade™ SolarPort is perfect for properties that need to maximise solar panel installation space without compromising on aesthetics or functionality.

## Solar SolarPort™ Features

- STC subsidy applicable
- 3 option cut-to-size kit form
- Fast and flexible install
- Quality aluminium
- Flush EV charger
- Connectable into housing network
- 15 Year Panel Warranty
- National Australian Built Environment Rating System compliance
- Australian Designed and Certified





## About the Panels

### Solar Technology


The Polaris Series is industry leading in design, made to replace the ceiling and roof of exterior structures such as pergolas, carports and patios.

Double-chamber design paired with 2+2mm tempered glass ensures structurally stronger frames than traditional panels.

Modular installation technology and integrated drainage structure allow for easy installation while providing comprehensive performance and advantages in safety, applicability, durability, price and environmental friendliness.



### About Polaris Series 580W

- Wind-resistant design
- Double-glass design
- Modular design, easy to replace
- Flat-to-pitched roof conversion
- High-efficiency TOPCon Cells
- Re-inforced double glass, strong impact resistance of 5400Pa





# About the Frame

## Single SolarPort





9 Solar Panels

## Double SolarPort



15 Solar Panels

## XL SolarPort (Made-to-order)



18 Solar Panels



# Our Products

## Single SolarPort

WIDTH	3615 x 7077
HEIGHT H	2980
HEIGHT L	2360
WIND REGION	N4 non cyclonic
SOLAR LAYOUT	3x3
SYSTEM CAPACITY	5.22 kW

## XL SolarPort (Made-to-order)

WIDTH	7058 x 7077
HEIGHT H	2980
HEIGHT L	2360
WIND REGION	N4 non cyclonic
SOLAR LAYOUT	6x3
SYSTEM CAPACITY	10.44 kW

## Double SolarPort

WIDTH	5910 x 7077
HEIGHT H	2980
HEIGHT L	2360
WIND REGION	N4 non cyclonic
SOLAR LAYOUT	5x3
SYSTEM CAPACITY	8.7 kW




# System

## Frame



## Polaris



## Hybrid Energy Storage Inverter



# Add ons

## EV Charger and RCD Cable




## Lithium Batteries




# Colour Range



Satin Black



Surfmist Matte



White



Monument

Other colours available on request.

# Warranties

## Panels

15 Year Panel Warranty.

## Framing

Your new ALUSHADE frames have been manufactured using the highest quality materials available to the Architectural industry. Constructed from Architectural grade aluminium, these products are highly corrosion resistant and exceptionally strong. With a moderate amount of maintenance, the ALUSHADE frame will retain it’s good looks and resist the elements for years to come.

The ALUSHADE frames are the product of extensive research and development and designed to resist corrosion and rusting, but as with all external elements on the building require some maintenance to keep them looking good and performing well. Depending on how harsh the environment elements are, the maintenance period will vary. Refer to recommended maintenance table below.

Your ALUSHADE frames should only ever need to be washed down with a soft bristled brush using warm water and mild detergent. Rinse well with fresh water and remove any detergent residue. Strong detergents and abrasive cleaners should never be used to clean the ALUSHADE frames as they may scratch or damage the surface finish.

## Maintenance Period Table

Environment	Recommended Maximum Maintenance Interval
<b>Mild</b> <i>Being rural, away from the coast and remote from industry and urban activity.</i>	Every 6 months
<b>Moderate</b> <i>Being mainly urban, inland and away from heavy industry.</i>	Every 3 months
<b>Tropical</b> <i>Being coastal/marine, subject to salt deposition and within 15km of the Eastern coast or 10km of the Western coast of Australia.</i>	Every month













Contact us today  
[alushade@alspec.com.au](mailto:alushade@alspec.com.au)



# Notes

#### **SYDNEY**

3 Alspec Place  
Eastern Creek NSW 2766  
Phone: 02 9834 9500  
sydney@alspec.com.au

#### **MELBOURNE**

26-40 Pound Road West  
Dandenong South VIC 3175  
Phone: 03 8787 6333  
melbourne@alspec.com.au

#### **BRISBANE**

8-22 Jutland Street  
Loganlea QLD 4131  
Phone: 07 3089 4900  
brisbane@alspec.com.au

#### **ADELAIDE**

1 Pope Court  
Beverley SA 5009  
Phone: 08 8150 6960  
adelaide@alspec.com.au

#### **DARWIN**

25 Bishop Street  
Woolner NT 0820  
Phone: 08 8941 7300  
darwin@alspec.com.au

#### **CANBERRA**

28 Sheppard Street  
Hume ACT 2620  
Phone: 02 5134 3300  
canberra@alspec.com.au

#### **PERTH**

30 Holder Way  
Malaga WA 6090  
Phone: 08 9209 9100  
perth@alspec.com.au

#### **NEWCASTLE**

95 Griffiths Road  
Lambton NSW 2299  
Phone: 02 4952 9111  
newcastle@alspec.com.au

#### **BRENDALE**

24 Doherty Street  
Brendale QLD 4500  
Phone: 07 3205 9911  
brendale@alspec.com.au

#### **SUNSHINE COAST**

4-8 Empire Crescent  
Chevallum QLD 4555  
Phone: 07 5437 6123  
sunshinecoast@alspec.com.au

#### **TOWNSVILLE**

21 Carroll Street  
Mount Louisa QLD 4814  
Phone: 07 3089 4965  
townsville@alspec.com.au

#### **CAIRNS**

34-38 Hargreaves Street  
Edmonton QLD 4869  
Phone: 07 4037 6666  
cairns@alspec.com.au

#### **BUNDABERG**

17 Production Street  
Svensson Heights QLD 4670  
Phone: 07 4111 2000  
bundaberg@alspec.com.au

#### **CARRUM DOWNS**

99 Frankston Gardens Drive  
Carrum Downs VIC 3201  
Phone: 03 9775 1223  
carrumdowns@alspec.com.au